

早押しボタン - バグ #567

ニックネームの文字化け

2019/12/14 14:18 - みぞ @mizo0203

ステータス:	完了	開始日:	2019/12/14
優先度:	通常	期日:	
担当者:	みぞ @mizo0203	進捗率:	100%
カテゴリ:		予定工数:	0.00時間
対象バージョン:	v1.0	作業時間:	2.75時間
説明			

関係しているリビジョン

リビジョン a56572ef - 2019/12/14 16:56 - みぞ @mizo0203

Remove nickname restrictions. ref #567 @0.25h

履歴

#1 - 2019/12/14 16:00 - みぞ @mizo0203

- ステータス を 新規 から 完了 に変更
- 進捗率 を 0 から 100 に変更

環境

- CentOS 7
- Tomcat 7

解決策

/etc/tomcat/server.xml の 73 行目付近に
URIEncoding="UTF-8" と useBodyEncodingForURI="true" を追記して、Tomcat を再起動で解決

修正後の /etc/tomcat/server.xml から抜粋

```
<!-- A "Connector" represents an endpoint by which requests are received
and responses are returned. Documentation at :
Java HTTP Connector: /docs/config/http.html (blocking & non-blocking)
Java AJP Connector: /docs/config/ajp.html
APR (HTTP/AJP) Connector: /docs/apr.html
Define a non-SSL HTTP/1.1 Connector on port 8080
-->
<Connector port="8080" protocol="HTTP/1.1"
           connectionTimeout="20000"
           redirectPort="8443" URIEncoding="UTF-8" useBodyEncodingForURI="true" />
```

Tomcat 再起動コマンド

systemctl restart tomcat

参考にしたサイト

- <http://kenken4320.hatenadiary.jp/entry/2013/02/21/233007>
- <https://blanche-toile.com/web/tomcat-form-input-garbled>
- <https://teratail.com/questions/16215>
- <http://tomcat.apache.org/tomcat-7.0-doc/config/ajp.html>

```
# cat /etc/redhat-release
CentOS Linux release 7.7.1908 (Core)

# tomcat version
Server version: Apache Tomcat/7.0.76
Server built: Mar 12 2019 10:11:36 UTC
```

Server number: 7.0.76.0
OS Name: Linux
OS Version: 3.10.0-1062.4.3.el7.x86_64
Architecture: amd64
JVM Version: 1.8.0_232-b09
JVM Vendor: Oracle Corporation

```
# diff /etc/tomcat/server.xml.org /etc/tomcat/server.xml
```

```
73c73
```

```
<                                redirectPort="8443" />
```

```
---
```

```
>                                redirectPort="8443" URIEncoding="UTF-8" useBodyEncodingForURI="true" />
```